

CHASSIS NUMBER:
406609

Plant:
J

MODEL:
0000602

CUSTOMER NAME:
SEABOARD TRANSPORT

FIRM DATE:
09/03/13

REPORT DATE:08/21/13

CHASSIS NUMBER: 406609

2014
MODEL: 0000602

PLANT CODE: J

OPS STAT: RELS

DEALER NO: 0994

CUSTOMER PO:

DEALER PO:

CUSTOMER NAME AND ADDRESS:

DEALER NAME AND ADDRESS:

BWKP

OZARK KENWORTH, INC.

SEABOARD TRANSPORT

1301 S. HAMILTON CIRCLE

OLATHE KS

66061

SHIPPING DESTINATION:

INDIANAPOLIS, IN I080

STARTING CHASSIS NO: 406609

ENDING CHASSIS NO: 406616

REQUESTED: 09/16/13

PRICE EFFECTIVE DATE: 01/01/13

TENTATIVE DATE: 09/03/13

FIRM DATE: 09/03/13

WHEELBASE: 247.00 IN

CAB TO AXLE: 173.00 IN

CAB TO END OF FRAME: 233.00 IN

AXLE TO BACK OF CAB: 74.00 IN

OPTION	DESCRIPTION	PUB	WGT
	BASE MODEL		
0000602	T6 SERIES CONVENTIONAL	P	15170
0070045	T660 SLOPED HOOD	P	0
0080085	CARB IDLE - ALTERNATIVE FUEL EXEMPT	P	0
0090006	62 INCH AEROCAB SLEEPER With rear axle capacity less than 59K	P	0
	ENGINE AND ENGINE EQUIPMENT		
0125805	ISX12 G 400 2013 400@1800 1450@1100 Gov@ 2100	U	0
N0902	P02 YES...CRUISE CONTROL AUTO RESUME		
N0904	P04 NO....AUTO ENGINE BRAKE IN CRUISE		
N0906	P06 NO....GEAR DOWN PROTECTION		
N0910	P11 YES...ENGINE PROTECTION SHTDWN		
N0912	P14 70....MAX VEHICLE SPEED IN TOP GEA		
N0914	P19 70....MAX CRUISE CONTROL SPEED		
N0916	P26 1400..MAX PTO SPEED		
N0918	P10 YES...IDLE SHTDWN		
N0920	P32 5.....IDLE SHTDWN TIME		
N0922	P33 NO....IDLE SHTDWN OVERRIDE		
1000005	U.S. EPA CERTIFIED SMARTWAY TRACTOR See D.B. Addendum Sec 12.3 for treads	P	0
1000156	Prospector Version 30.0 Replaces Version 29.XX	U	0
1000157	Prospector version 31.xx supercedes version 30.xx	U	0
1002060	Air compressor:18.7 CFM Cummins, PACCAR PX engines and Westport GX.	P	0
1051076	Air cleaner Powercore engine mount ISL ISX11.9/ISX12 for 2010 +	P	0
1105240	Fan Hub: Horton 2-Speed for ISX11.9 and ISX12	P	0
1121315	Cooling Module: T660 1315 SQ IN	P	0
1160205	BUG SCREEN FRONT OF GRILLE C500,T800, W900 BEHIND GRILLE ,T660, T680.	P	2
1247016	EXH:Sing BOC Horiz catalyst CNG sing Horizontal tailpipe	P	0
1323059	Rail mounted Natural Gas fuel filter IS9G and ISX12G engines	P	0
N1328	FUEL FILTER WATER SEPERATOR STD ON IS 13281		
1504005	IMMERSTION ENG BLOCK HTR:110-120V/1500W PLUG LOC UNDER DOOR T7, C5, T6, T8 AND W9	P	2
N1500	FUEL COOLER NOT REQUIRED WITH CNG FUE 15000		

1700121	Retarder: Cummins ISX12G Not for Diesel engines	P	40
1816200	Alternator: Bosch 200 amp, brush type	P	0
1821210	BATT: 3 PACCAR GP31 THR (700) 2100 CCA DUAL PURPOSE BATTERIES	P	0
1836100	PACCAR 12V STARTER	P	0
1901003	JUMP START TERMINALS:FRAME MTD BOC/SLPR ABOVE RAIL	P	11
N1901	1901003 LOC JUMP START TERM BEH CLEAR		
N1902	1901003 SPACE ON LH SIDE MAIN TRANSMISSION AND CLUTCH		
2057444	FULLER RTLO14913A 13-SPEED SUPER 13	P	110
N2050	2057499 USE OPTION CODE 2057444		
N2060	TR000042115 8/2/2013 10:44:54 AM		
2250670	Cl: Eaton 15-1/2" Easy Pedal Advantage to 1650 lb-ft ceramic 6-paddle	P	2
2405405	DRIVELINE:2 HVY DUTY; 1 CENTERBEARING	P	99
2410019	TRANSMISSION APPROVAL RECEIVED, SEE NAR NARRATIVE N2060 FOR RECEIVAL DATE	U	0
2429102	Chassis will not be fitted w/ trans PTO (PREVENTS ECU F/INTERFERING W/PTO ONLY)	P	0
2460048	14" EATON/FULLER HI CAP OIL/WTR CLR OPT F/ TRAN UND 1550 LBFT, INCL OIL PUMP	P	22
2493004	AL CLUTCH HSG REPL CAST IRON F/ FULLER TRANS RATED 1450 THRU 2050 LBFT FRONT AXLE AND EQUIPMENT	P	53-
2502321	DANA SPICER E-1322I 13.2K 3.5" DROP	P	33
2607011	FR AIR DISC BRAKES: Bendix RSD to 14.6K ADB22X REDUCED STOP DIST TRACTOR ONLY	P	115
2690024	SPLINED ROTOR FOR FRONT AIR DISC BRKS FOR USE WITH ALUMINUM HUBS	P	46-
2701300	HUB:ALUM*HUB PILOT*MAX CAP 13.2K 11.25" BC*"TURBO"*10-BOLT	P	0
2741950	DANA LMS HUB PKG FRONT AXLE	P	0
2750001	FR HUBCAP: VENTED	P	0
2769000	INCL W/FR AXLE OR BRK: SLACK ADJUSTER	P	0
2864012	FR SPR:TAPERLEAF 13.2K W/SHOCK ABSORBER	P	9
2895121	PWR STRG:SING GEAR*SHEPPARD M100P*13.2K REAR AXLE AND EQUIPMENT	P	2
3124403	DANA SPICER DSP41 40K DUAL 7/16" HVY-WALL HSG/INDUCT HARDND SPINDL	P	31
3200355	REAR AXLE RATIO-3.55	P	0
3306014	RR AIR DISC BRAKE: BENDIX RSD DUAL 46K REDUCED STOPPING DISTANCE TRACTOR ONLY	P	119
3392604	SPLINED ROTOR FOR DUAL RR AIR DISC BRKS FOR USE WITH ALUMINUM HUBS	P	225-
3407050	RR HUB:AL HUB-PILOT DUAL 11-1/4"BC REQUIRES "R" SERIES OUTER ENDS	P	0
3441952	DANA LMS HUB PKG DUAL REAR AXLE	P	0
3465900	SLACK ADJUST: INCL W/AXLE OR BRAKES	P	0
3485002	SPRING BRAKE INCLUDED W/DUAL AIR DISC BRAKES	P	0
3495226	ABS:BENDIX 4S/4M FR WHL+2 GRP RR WHL*AVL ONLY W/AIR BRK	P	0
3730030	KW AG400*40K DUAL*52"AS* 9" RIDE HT Includes air susp dump valve. TIRES, WHEELS AND RIMS	P	251-
4017192	FR MICHELIN XZA3+ 275/80R22.5 16PR PART: MN275/80R225HXZA3P FET: 70	P	0
4217240	RR MICH X One Line Energy D 445/50R22.5 20PR 2-4*N/A until 8/1/13 PART: MN96678 FET: 128	P	190-
4900004	CODE-REAR TIRE QTY 04.		

5045162	FR wheel:Alcoa 88367 22.5x8.25 AL hub pil new gen disc brk comp LVL1	P	44-
5245223	RR WHL:ALCOA 84062 22.5X14.00 AL HUB PILOT MOUNT 2-4 LVL1	P	308-
5900004	CODE-REAR RIM QTY 04. FRAME AND EQUIPMENT		
6054600	FRAME RAILS:10-5/8 X 5/16" STL 337-416" SECTION MOD:14.80, RBM:1,776,000 LBS,	P	0
6308710	BUMPER: AERODYNAMIC, PAINTED REQS BUMPER SETTING CODE	P	0
6319048	49.5 INCH BUMPER SETTING*REQS BUMPER CODE	P	0
6321005	REMOVABLE FRONT TOW HOOKS: 2	P	15
6390081	Custom Frame Layout with \$400 per order charge	P	0
6390083	Custom Frame Layout Complete	U	0
6390084	Custom frame layout per order charge assessed	U	0
6405045	T6/T7 Batt box module:short length alum par box module under cab, Polymer cover	P	0
6409901	BATTERY BOX LOCATION: LEFT HAND SIDE	P	0
6414002	SHORT AL FRAME ACCESS DECK PLATE: 24" UNLESS ONLY 12" FITS	P	11
6418006	FRAME ACCESS STEPS:2 LADDER-TYPE LH-MTD	P	15
6418510	LADDER STEP ACCESS HANDLE*LH ONLY*MTD TO FRAME STEP *NARRATE LOCATION	P	9
6419555	PARTIAL CH FAIRINGS W/O REARMOST SECT'N W/O LH/RH FRAME ACCESS. INCL DEF ACCESS	P	60
6419701	PARTIAL FAIRING SUPPORT: LH	U	0
6419702	PARTIAL FAIRING SUPPORT: RH	U	0
6451037	CAB SIDE SKIRT SUPPORTS:RIGHT HAND SIDE	P	55
6490148	Pro-Tech chain hanger 35-5951 RH with hinged lid.	P	15
6497005	Clear frame space area: First - LH outside AND LH below	P	0
6497014	Clear frame space area: Second - RH outside AND RH below	P	0
6497330	Clear frame space length: First - 30"	P	0
6497530	Clear frame space length: Second - 30"	P	0
6498071	LOCATE 1ST CLEAR SPACE LOCATION: 071 IN.BOC		
6499071	LOCATE 2ND CLEAR SPACE LOCATION: 071 IN.BOC		
N6414	MOUNT DECK PLATE BEHIND CLEAR SPACE		
N6419	6419555 REMOVE DEF TANK CUTOUT		
N6420	6419555 FROM FAIRING PER OAR 391401		
N6490	PARTIAL FAIRING SUPPORT PER OAR 393627		
N6497	6497330 CLR SPC BEGIN 12"BOS LH/RH SIDE		
N6498	6497530 CLR SPC BEGIN 12"BOS LH/RH SIDE		
6543047	FW:ILS air HL FW17J812XL00 12.0" 7.8" height. Outbrd, 50K	P	445
N6500	DLR OK'D EXHAUST IN CLEAR SPACE		
6600033	FIFTH WHEEL ANGLES:ALUMINUM REPLC STEEL	P	24-
6679911	COMPONENT RESTRICTION--DO NOT DRIVE-- UNIT MAY BE DECKED	P	0
6690040	REAR OR FIXD SETTING BHD C/L BOGIE 004.0 IN		
6721102	RR MDFLP ARMS:BETTS B25 STD DUTY STRAIGHT (KIT INCL B1732 MTG BRKTS)	P	0
6722000	RR MDFLP SHIELDS:WHITE PLASTIC KW LOGO ANTISAIL	P	0
6744123	SHORT TRACT TAPER BENT/WELD W/O CM FUEL TANKS AND EQUIPMENT	P	2-
7210000	Fuel Tank: Delete base model gal alum Hardware AND plumbing deleted.	P	115-
N7214	7214060 PLS REF OAR 391401 TO SUPPORT		

N7215	7214060 FRNGPLS CONF SMALLEST F/T AVAIL		
N7722	DELETE DEF TANK NOT REQUIRED WITH CNG 77220		
N7889	ANTI SIPHON DEVICE NOT REQUIRED WITH 788929		
7940000	LOCATION LH BEHIND CAB 000 GAL.		
	CAB AND EQUIPMENT		
8025300	CAB: CONVENTIONAL*AEROCAB*CURVED GLASS B3*AVAILABLE ONLY W/AEROCAB SLEEPER*	P	0
8077562	SLEEPER: 62" AEROCAB AERODYNE	P	1034
8080137	CAB DOOR BEARING BLOCKS: TOP AND BOTTOM	P	0
8080942	SLPR DOORS W/SLIDING WINDOW: LH/RH *RPL UPPER SLPR EMERG EXIT DOORS*	P	20
8090602	HOOD: SLOPED AERODYNAMIC W/GRILLE AND SEPARATE BUMPER	P	0
8178210	HEATER/AIR COND:SEP UNITS CAB AND SLPR INCL 5 MODE ROTARY CTRL*N/A W/ 38" SLPR	P	0
8190146	2 BALL VLVS F/USE W/PARALLEL PLUMBING* AVAIL AEROCABS EXCEPT 38"	P	4
8201013	STRG WHL: 18" 4-SPK	P	0
8201200	STRG COLUMN:ADJ TELESCOPNG TILT*CODE F/18" STRG WHEEL*	P	11
8203060	5 SETS OF KEYS. REPLACES STANDARD (2 SETS OF KEYS).	P	0
8221144	GAU: AIR SUSP PRESSURE	P	0
8222708	Delete fuel and DEF tank gauges replace with plugs. Only for CNG engine.	P	0
8225658	GAU:AXLE OIL TEMP DUAL DR AXLE(2 GAU) W/INTEGRAL WARN LT	P	0
8226660	GAU: OIL TEMP MAIN TRANSMISSION	P	0
8282004	Kenworth Driver Information Center (Highline display)	P	0
8282009	INSTRUMENT PACKAGE	P	0
8282107	LARGE FLAT PANEL ON DASH FOR C/I CNTRLS REDUCES GAUGE COUNT BY 6	P	0
N8220	DELETE STD DEF AND FUEL LEVEL GAUGE 8220999		
8332162	INTERIOR: CAB/62" SLEEPER SPLENDOR	P	0
8343304	INTERIOR COLOR: SLATE GRAY W/TRIM COLOR DARK SLATE GRAY	P	0
8390733	FLOORMAT: SLEEPER	P	0
8410491	DR SEAT: KW AIR-CUSHION PLUS HB MORDURA INCL DUAL ARMRESTS AND SUSPENSION COVER	P	0
8480491	RD SEAT: KW AIR-CUSHION PLUS HB MORDURA INCL DUAL ARMRESTS AND SUSPENSION COVER	P	18
8490110	SEAT COLOR: DARK SLATE GRAY	P	0
8505110	TV INSTL PKG: LO MT*AEROCABS ONLY*NA W/38"/86" SLPR*NA W/62" W/LIFTABLE LWR	P	7
8520009	FOLDING UPPER BUNK: 24"X78"*62" AEROCAB AERODYNE*	P	71
8520141	MATTRESS:PREMIUM POCKET INNERSPRING ON LOWER BUNK ONLY	P	0
8530237	FLOORMAT: TOOL COMPARTMENT	P	0
8570001	FULL LENGTH CLOSET W/ SHELF*62" AEROCAB ONLY*STD*	P	0
8570006	STORAGE SHELVES (2)*RH*62" AEROCAB ONLY *STD*	P	0
8601415	Kenworth AM/FM/WB/CD/USB/Bluetooth Radio w/ Handsfree Microphone	U	4
8601881	CB RADIO:COBRA 29 *HI MT IN HDR W/HDR MTD QUICK RELEASE CB MOUNT*SEP SPKR*	P	11
8700168	TURN SIGNAL SWITCH: COLUMN-MTD DIMMER INCL INTERMITTENT WIPER CONTROL	P	0
8700186	ELECTRIC DOOR LOCKS*LH/RH*	P	0
8700871	Pre-Wire:Peoplenet G3 w/Multi-Bus Adptr (MBA) 2010+ Engines *Incls Antenna Brkt	P	0

8800271	GRABHANDLE: 1 LONG RH	P	0
8800373	GRABHANDLE: 1 LONG LH	P	0
8800400	GRABHANDLE:1 LH INSD DOOR FRAME ABOVE DASH	P	0
8800401	GRABHANDLE:1 RH INSD DOOR FRAME ABOVE DASH	P	0
8829612	SIDE EXTENDERS: 19" WIDE W/RUBBER EDGES 7"	P	7
8832115	DAYLITE DOOR: LH/RH INCLDS RH PEEPER WINDOW	P	0
8841411	AIR HORN: SINGLE UNDER CAB	P	0
8850300	CX MIRR: SING 8-1/2"X4-7/16"*PASSENGER SIDE*DOOR MTD, NON-HTD	P	0
8865000	MIRROR: DUAL KW AERO MOTOR HTD W/INTGRL HTD CX MIRR AND 8.5" MIRROR	P	0
8879213	WINDOW LIFT: ELEC POWERED LH/RH SIDE SW LOCATED ON DOOR PAD	P	0
8890100	WINDSHIELD: 1-PC W/CURVED GLASS	P	0
8890134	SUNVISOR:EXTERIOR W/INTEGRAL MARKER LTS	P	0
8890872	CAB/SLPR AIR SUSP: 38"/62"/72"/86" AEROCAB ONLY*	P	0
8891002	ROOF FAIRING: 62"AEROCAB W/ S/L 7" RUBR EXT (FACTORY PAINTED, S/L BACK OF SLPR)	P	75
	LIGHTS AND SIGNALS		
9010401	Headlamps: SAE HID, Dual High Intensity Discharge, XENON	P	0
9026200	MARKER: 5 AERODYNAMIC-INTEGRAL W/SUNVSR	P	0
9030010	TURN SIGNAL:CONV FENDER-MTD	P	0
9058037	SW/WIRE/IND LT:C/I FLOODS 1ST SW W/O ELEC PASS-THRU: WIRED COILED BOC/BOS	P	0
9070012	LED Stop/Turn/Tail - Flange Mounted with two LED backup lights	P	0
9090039	INTERRUPTER SWITCH FOR MARKER LTS B-CAB:INCL IN TURN SIGNAL	P	0
9090845	CIRCUIT BREAKERS: TO REPLACE FUSES *DOES NOT APPLY TO ANY 5-AMP FUSE*	P	0
	AIR EQUIPMENT		
9101210	AIR DRYER: BENDIX AD-IS HEATED	P	0
9108001	MOISTURE EJT VLV: PULL CABLE DRAIN	P	0
9110071	TRAC KIT: CTR FRM-MTD W/HOSETENNA -INCL COMPOSITE GLDHD/LT PLG HLDR	P	24
9121043	LIGHT LINE:PHILPS 15' COILED W/MTL PLUGS W/6" LEAD: MUST CODE TRAC KIT	P	4
9121051	COIL CORD AIR LINES: PHILATRON 15' REQUIRES TRAC KIT CODE use code 9121115	P	4
9121115	AIR/LIGHT LINES: 15 FT COILED	P	2
9140020	NYLON AIR TUBING: FRAME/CAB	P	0
9140328	TRAILER ABS ELECT SUPPLY THRU SAE J560 7 PIN CONNECTOR (PER TMC RP137)	P	0
9140704	HOSETENNA BRACKET 4' BOC/S Plus or minus 6"	P	0
9150170 N9100	AIR TANKS: ALUMINUM RPL STEEL ALL TANKS C/R 368236 THRU 368243.	P	44-
	OPTIONAL EXT WTY AND PRV MNT		
9200021	STANDARD WARRANTY	P	0
	ORDER REVIEWED BY APPLICATIONS TECH:		
9290172	Cindy Carey 740-774-5502	U	0
	SPECIAL EQUIPMENT		
9409926	Kenworth Truck Company	U	0
9490206	WARNING TRIANGLE REFLECTOR KIT: 3 TRIANGLES IN PLASTIC CASE	P	4
9490404	FIRE EXT: ONE 5# DRY CHEMICAL TYPE MTD OUTBOARD OF DR. SEAT. CLASS ABC.	P	11

PROMOTIONS

PAINT COLOR NUMBER

9700000	PAINT COLOR NUMBER	P	0
N9702	A - L0006EB WHITE B/C		
N9720	FRAME N0001EA BLACK		
N9740	SUNVISOR L0006EB WHITE B/C		
N9760	AIR SHIELD L0006EB WHITE B/C		
N9770	BUMPER L0006EB WHITE B/C		
N9780	CH FAIRINGS L0006EB WHITE B/C		

NOTES

9800001	***NOTE:REQUESTS PRECEDED BY N98XX ARE DISAPPROVED-OAR GRP #425-828-5656/5655	U	0
N9801	FULLER RTLO14913A 13 SPEED 2057499		
N9802	7216045 PLS REF OAR 391401 TO SUPPORT		
N9803	7216045 FRNGPLS CONF SMALLEST F/T AVAIL		
N9804	TIR/WHL RATING SET BY APP ENGRG REVIEW		
N9805	FUEL TANK: 45 US GAL 24.5" AL BOC RPL		

PAINT

9940030	BUMPER/CHASSIS FAIRINGS PNTD "A" COLOR	P	0
9943419	IMRON SOLID 1 COLOR CONV AERO SPEC A	P	0
	WILL BE WHT L0006EB IF NOT SPEC'D OTHER		
9960006	***PAINT SKETCH VERIFIED***	U	0
9965510	PAINT:BASE COAT/CLEAR COAT*REQS PAINT EXTERIOR AND PAINT COLOR L SERIES CODES*	P	0
N9994	EMAIL: JEFF.JANSSEN@MHCTRUCK.COM		
N9995	CELL PHONE: 816-916-7100		
N9996	SALESPERSON ID: SALLYMEYER01		
N9997	DEALER CONTACT		
N9998	NAME: JEFF JANSSEN PH:9139711512		
N9999	JCC 08/02/13 OC028		

UNIT TYPE: 1

PRICE EFFECTIVE DATE: 01/01/13

**** WEIGHT SHOWN HERE IS AN ENGINEERING ESTIMATE AND DOES NOT INCLUDE UNPUBLISHED OPTION OR FRAME RAIL WEIGHTS. ACTUAL 'SHIPPING' WEIGHT MAY VARY.**